

A Healthy Soluton

1209 E Imperial Hwy
Placentia, CA 92807

Sample: 02-06-2023-29762

Sample Received: 02/06/2023;
Report Created: 02/07/2023; Expires: 02/07/2024

BSCBD + CBG
Ingestible, Soft Chew



ND%
Total THC

ND%
Δ-9 THC

50.829 mg/unit
Total Cannabinoids

23.628 mg/unit
Total CBD

Cannabinoids

(Testing Method: HPLC, CON-P-3000)
Date Tested: 02/06/2023

Complete

Analyte	LOD	LOQ	Mass	Mass	Mass	
	mg/unit	mg/unit	mg/unit	mg/g	%	
Δ-8-Tetrahydrocannabinol (Δ-8 THC)	0.359	0.539	ND	ND	ND	
Δ-9-Tetrahydrocannabinol (Δ-9 THC)	0.359	0.539	ND	ND	ND	
Δ-9-Tetrahydrocannabinolic Acid (THCA-A)	0.359	0.539	ND	ND	ND	
Δ-9-Tetrahydrocannabinophorol (Δ-9-THCP)	0.359	0.539	ND	ND	ND	
Δ-9-Tetrahydrocannabivarin (Δ-9-THCV)	0.359	0.539	ND	ND	ND	
Δ-9-Tetrahydrocannabivarinic Acid (Δ-9-THCVA)	0.359	0.539	ND	ND	ND	
R-Δ-10-Tetrahydrocannabinol (R-Δ-10-THC)	0.359	0.539	ND	ND	ND	
S-Δ-10-Tetrahydrocannabinol (S-Δ-10-THC)	0.359	0.539	ND	ND	ND	
9R-Hexahydrocannabinol (9R-HHC)	0.359	0.539	ND	ND	ND	
9S-Hexahydrocannabinol (9S-HHC)	0.359	0.539	ND	ND	ND	
Tetrahydrocannabinol Acetate (THCO)	0.359	0.539	ND	ND	ND	
Cannabidivarin (CBDV)	0.359	0.539	ND	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.359	0.539	ND	ND	ND	
Cannabidiol (CBD)	0.359	0.539	23.628	6.316	0.632	
Cannabidiolic Acid (CBDA)	0.359	0.539	ND	ND	ND	
Cannabigerol (CBG)	0.359	0.539	27.201	7.271	0.727	
Cannabigerolic Acid (CBGA)	0.359	0.539	ND	ND	ND	
Cannabinol (CBN)	0.359	0.539	ND	ND	ND	
Cannabinolic Acid (CBNA)	0.359	0.539	ND	ND	ND	
Cannabichromene (CBC)	0.359	0.539	ND	ND	ND	
Cannabichromenic Acid (CBCA)	0.359	0.539	ND	ND	ND	
Total			50.829	13.587	1.359	

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD; LOQ = Limit of Quantitation; ND = Not Detected.

Total THC Measurement of Uncertainty: ± 0.040%
Total CBD Measurement of Uncertainty: ± 2.000%
THCO potency analysis does not designate quantitative specificity of Δ-8-THCO and Δ-9-THCO isomers

Unit Size: 3.741g; Unit: 1 Gummy



New Bloom Labs
6121 Heritage Park Drive, A500
Chattanooga, TN 37416
(844) 837-8223
TN DEA#: RN0563975
ANAB Testing Laboratory (AT-2868):
ISO/IEC 17025:2017

Natalie Siracusa
Laboratory Director

Powered by reLIMS
info@relims.com